

**Hello bravoDelta**

Show unread posts since last visit.
Show new replies to your posts.
March 14, 2014, 06:58:38 PM

 Search

[Home](#) [Help](#) [Forum Supporters](#) [Rules](#) [Directory](#) [Search](#) [Profile](#) [My Messages](#) [My Bookmarks](#) [Calendar](#) [Members](#) [Logout](#)

[Main Site](#)[DIY Blog](#)[Downloads](#)[Advertise](#)[Store](#)[Survive](#)

DIY Tactical Forum » Gear Making » Tutorials » Topic: Pouch Making, Double Mag, w/ Flap, folded bottom

[« previous next »](#)

Pages: [1] 2 3

[REPLY](#) [ADD BOOKMARK](#) [NOTIFY](#) [MARK UNREAD](#) [SEND THIS TOPIC](#) [PRINT](#) [Author](#)

Topic: Pouch Making, Double Mag, w/ Flap, folded bottom (Read 8191 times)



Basic Member
Guru



Posts: 889
Liked: 7

 **Pouch Making, Double Mag, w/ Flap, folded bottom**[Like](#) [Quote](#)

« on: November 11, 2007, 10:44:50 PM »

Here is another way to make a pouch. This time I'm gonna use 3" webbing as a base for the back wall and the flap. The 3" webbing is 14" net (28" total). The pouch itself is very straight-forward. 7 3/4" wide by 8 1/8" in length.



Next we'll add a 4" long piece of 2" webbing and loop velcro. I left 1" hanging off the pouch for a pull tab.



Misadventure
Gear





Next comes the hardware.



Then I folded the edges over 3/8" and sewed the pouch sides to the back.



This time I am using the folded technique again for forming the bottom.



« Last Edit: October 25, 2011, 07:54:05 PM by DIY Tactical »

Report to moderator  Logged

 **david**
Basic Member
Journeyman

 
Posts: 52
Liked: 1
 

 **Re: Pouch Making 302**
« Reply #1 on: November 11, 2007, 10:52:13 PM »

Like Quote

will you stop :-)
I have just spent 20 mins looking at the other one....

I am still amazed how easy you make it look.

many thanks David

Report to moderator  Logged



Basic Member
Guru



Posts: 889
Liked: 7



Basic Member
Guru



Posts: 889
Liked: 7

**Re: Pouch Making 302**

« **Reply #2 on:** November 11, 2007, 10:55:50 PM »

[Like](#)[Quote](#)

After 20 years it is easy. 😊

[Report to moderator](#) [Logged](#)

**Re: Pouch Making 302**

« **Reply #3 on:** November 11, 2007, 10:57:47 PM »

[Like](#)[Quote](#)

Now let's close the bottom.



Then we'll add some velcro to the top flap.



Now we'll put loops on for the shock cord.



« Last Edit: October 25, 2011, 07:54:27 PM by DIY Tactical »

[Report to moderator](#) [Logged](#)

☐ **Disturbed**

Official Man Dance Judge
DIY Forum Moderator
Guru

Moderator

Gear Locker



Re: Pouch Making 302

« **Reply #4** on: November 11, 2007, 10:59:03 PM »

[Like](#) [Quote](#)

Would you recommend having the seared end at the base mate, or folded over so it is on the inside of the pouch?

I smoked your pole in the other thread, no more man love to spare for this one 😊

[Report to moderator](#) [Logged](#)

Posts: 2374
Liked: 77
Profile Nazi and Zipper
Geek


☐
Basic Member
Guru



Posts: 889
Liked: 7


☐
Basic Member
Guru



Posts: 889
Liked: 7




<https://www.facebook.com/twinneedle>

 **Re: Pouch Making 302**
« **Reply #5 on:** November 11, 2007, 11:03:16 PM »

[Like](#) [Quote](#)

Well you can do it different ways. I sew the 3" webbing over even so the seared end is on the very bottom of the pouch. Not very noticable (I hope) down there.

[Report to moderator](#)  [Logged](#)

 **Re: Pouch Making 302**
« **Reply #6 on:** November 11, 2007, 11:05:58 PM »

[Like](#) [Quote](#)

Now we'll throw on the shock cord.



And here's the finished pouch front.



Back.



« Last Edit: October 25, 2011, 07:54:49 PM by DIY Tactical »

Report to moderator Logged



Basic Member
Guru



Posts: 889
Liked: 7



Re: Pouch Making 302

« Reply #7 on: November 11, 2007, 11:09:55 PM »

Like

Quote

And here's a widely used technique. You tuck the flap over the back mag, leaving the front mag exposed and ready to grab.



I like this design. It's clean and simple to execute. You could double up the pouch body on this one, or maybe run a webbing strip inside as before. This one is cut at 5" for pouch height although 6" would work as well.

« Last Edit: October 25, 2011, 07:55:02 PM by DIY Tactical »

[Report to moderator](#) Logged

duaneb

Basic Member
Senior



Posts: 155
Liked: 0



Re: Pouch Making 302

« Reply #8 on: November 11, 2007, 11:34:50 PM »

[Like](#) [Quote](#)

You da Man!

I'm still learning about materials. What number is the webbing for the 3", 2" and 1". Is that a #1 grommet? What do you use to mark the white markings on the fabric? You have made my life easier.

« Last Edit: November 11, 2007, 11:39:22 PM by duaneb »

[Report to moderator](#) Logged

DIY Tactical

Global Moderator
Guru



Posts: 3532
Liked: 40
aka Landshark



Re: Pouch Making 302

« Reply #9 on: November 11, 2007, 11:40:02 PM »

[Like](#) [Quote](#)

cool post Diz,

Basically the same way I prefer to make my pouches. I had used a different bottom techniques until Diz posted his tut when I was in Iraq on how to do the pleated method.

I do prefer to miter the corners of the flap and add a pull tab (ala Eagle), I will try to post a tutorial on that this week, hopefully I'll have some time, I need to make some mag pouches. Also I typically don't fold the top lip over. I have used 43668 there to stiffen the opening.

Duane,

2" and 3" are 17337

1" is 43668

[Report to moderator](#) Logged

My latest collaborative project



Also check out the [Survive Anything Facebook Page](#)