

**Hello bravoDelta**

Show unread posts since last visit.
Show new replies to your posts.
March 14, 2014, 09:49:57 PM

[Home](#) [Help](#) [Forum Supporters](#) [Rules](#) [Directory](#) [Search](#) [Profile](#) [My Messages](#) [My Bookmarks](#) [Calendar](#) [Members](#) [Logout](#)

[Main Site](#)[DIY Blog](#)[Downloads](#)[Advertise](#)[Store](#)[Survive](#)

DIY Tactical Forum » Gear Making » Tutorials » Topic: Rifle+Pistol mag pouch

[« previous](#) [next »](#)

Pages: [1]

[REPLY](#)[ADD BOOKMARK](#)[NOTIFY](#)[MARK UNREAD](#)[SEND THIS TOPIC](#)[PRINT](#)

Author

Topic: Rifle+Pistol mag pouch (Read 167 times)

☐ **darthmoo**

Forum Supporter
Senior

Forum Supporter

Whiskey
Two-Four

Posts: 290

Liked: 128

darthmoo



Rifle+Pistol mag pouch
« on: February 14, 2014, 01:30:25 AM »

[Like](#)[Quote](#)

Edited 2/14/14 to add YouTube video-



An identical PDF tutorial is available on [Dropbox](#) for your records 😊


If something's been left out, clarification is needed, or you'd like a demonstration of a certain technique or step, please ask.

This tutorial is offered with the understanding that it's intended for those who already have a firm grasp on their craft.

Traditional narrow fabrics may be used as substitutes for laser cut parts.

Hems are 1/2", seam allowances are 1/2", three sides are bound 5/16" from the edge.


Lay out your materials. Make sure all components are present.



Hem one short side of each **wing**, one long side of the **pistol pouch back extension**, short sides of **pistol pouch front**, one short side of pouch extension.



Fold **pistol pouch front** in half matching hemmed edges. Locate shock cord tab and stitch the perimeter. Stitch **pistol pouch front** to **pistol pouch rear**. Keep your **wings** handy.



Stitch **wings** on either side of the completed **pistol mag pouch** and then top stitch. Stitch unhemmed, short side of **pouch extension** to the bottom of the **wings** and **pistol mag pouch** and then top stitch.






Fold two hemmed edges together and stitch perimeter.



1/2" from the top edge, stitch PALSecure to the **main pouch back** and locate shock cord tab



Stitch **pouch front** to **pouch back**.




Tape edges, install **shock cord**, pull tabs, and **cord locks**.



Enjoy your super neato pouch!





« Last Edit: February 15, 2014, 01:29:24 AM by darthmoo »

Report to moderator Logged

Rangdog , @less@ndro , , essal and KuroYamaneko like this

darthmoo

<http://wtfidea.com>

<http://facebook.com/WhiskeyTwoFour>

Attachments and you: A primer to cool accessories for your machine
Where and how to buy sewing machines

☐ **Fight and Flight**

Metric system believer...
DIY Forum Moderator
Guru



Posts: 2669
Liked: 115

Hold my seam ripper and watch this....



☐ **@less@ndro**

Forum Supporter
Senior



Posts: 169
Liked: 7

mi english is bed



Re: Rifle+Pistol mag pouch

« Reply #1 on: February 14, 2014, 02:46:02 AM »

Like Quote

I love the adjustable retention on that pouch!

Report to moderator Logged



Official DIY Tactical "Post Whore" pee-pee smacker.

Re: Rifle+Pistol mag pouch

« Reply #2 on: February 14, 2014, 04:26:15 AM »

Like Quote

nice work and thanks for the tutorial.

Report to moderator Logged